





□□□□□□ □□□ □□□

□□. □□□	□□□	□□□ □□□□□ □□□□□
□□□□ LGS		
1	□□□□□ □□□□□□	□ 180
2	□□□□□□□	□□ 180
□□□□□□ □□□□		
1	□□□□ OSB □□□□□□□ □□□□□□	1220 * 2440 * 9 □□□ □ 245.8
2	□□□□□□ □□□□□□ □□□□□ □□□□ □□□ □□□□□□	□ 289.96
3	□□□□□□□ □□□□□ □□□□ □□□	30 * 40 * 3000 □□ □ 737.4
4	□□□□□□ □□□ □□□□□□ □□□□□□ □□□□ □□□□□□	381 * 3800 * 16 * 4500 * 381 + □□□ □□□ 16 □ 245.8
5	□□□□□□□□ □□□□□□ □□□□ OSB	1220 * 2440 * 9 □□□ □ 311.4
6	□□□□□□ □□□□□□ □□□ □□□□□	1200 * 2400 * 9 □□□ □ 311.4
7	□□□□□□ □□□□□□ □□□□□□ □□□	1220 * 2440 * 10 □□□ □ 102.3
□□□□□ □□□□		
1	□□□□□□□ □□□□□ □□□	T75 12□□□□□□/3 □ / □□□ 16 □□□□□ □ 329.75
2	□□□□□ □□□) □□□□□□□ □□□□□ □□□□	T75 12□□□□□□/3 □ / □□□ 16 □□□□□ □ 91.5
3	□□□□ XPS □□□□□□□ □□□□□□□	1200 * 600 * 40 □□□ □ 245.8
□□□□□□□ □□□□		

1	OSB 1220 * 2440 * 18	□	95.51
2	T1.5 20°C 15- □	□	95.51
3	C25 □	□	95.51
1	OSB 1220 * 2440 * 12	□	91.5
2	T1.5 20°C 15- □	□	91.5
3	□	□	91.5
4	□	□	17.8
5	PVC 6	□	52.4
6	PVC 4	□	52.4
7	381 * 3800 * 16	□	31.44
1	□	□	44.16
2	□	□	9.6
3	1220 * 2440 * 10	□	129.7
1	□	□	180
2	□	□	180
	□	□	180
	□	□	180