



□□□□□ □□□

Heya-B02-B



BREAKDOWN QUOTATION SHEET			
NO.	HY-B02-B	DATE	
Item	Description	Qty	Unit
Steel frame	C-type steel purlin and beam, square tube, steel channels	40	m2
Exterior Wall	75mm EPS Color Steel Sandwich Panel, pre-cut, with film protection	88.4	m
Interior Wall	75mm EPS Color Steel Sandwich Panel, pre-cut, with film protection	28	m
Roof	75mm EPS Color Steel Sandwich Panel, pre-cut, with film protection	68	m
Ceiling	PVC ceiling	40	m2
Floor	Ceramic tile 800x800mm	40	m2
Roof decoration	Asphalt tile	66.5	m2
External Wall decoration	Metal carved plate	85.8	m2
Door	Out door (Steel door) 900*2000mm	1	pcs
	Bathroom door 800mm x 2000mm (water proof)	2	pcs
Windows	PVC sliding window 950(W)*1000mm(H)	3	pcs
	PVC sliding window 950(W)*600mm(H)	1	pcs
Drain system	Drain pipes, gutter	21	m
Electric system		40	m2
Accessories	Kinds of necessary screws, sealant, ridge tile, packet eaves, flashing, channel iron	40	m2
Total Amount (Necessary Basic Fitting)		\$6,048.20	
Inland Cost	20GP container loading	1	pcs
Workers loading Cost	40ft/20ft container	1	pcs
Total Amount		\$6,798.20	

□ □ □ □ □ □ □ □ □ □ □ □ □ □

Shandong Heya .

[illegible]

በሰነዱ ላይ የተገለጸው የጥራት ማረጋገጫ ሰነድ 10 ሰዓት ውስጥ ማረጋገጥ ይገባል፡፡

□□□□□□ □□□□□□ □□□□□□ □□ □□□□□□ □□ □□□□ □□□□ □□□□ □□□□ □□ □□□□□□.

00000000 00000000 000000 000000 0 00000000 0000000000 00000 000000 000000 00 000000000 00000000
 000000000 00 0

.በሰነድ ማስቀመጥ ያለው የፋይናንስ አጠቃላይ መረጃ በተመለከተ ምርመራ ሲያደርጉ ለማንኛውም ማስታወሻ ይጻፉ

□□□□ □□□ □□ □□□□□□ □□□□ □ □□□□□□ □□□□ □□□ □□ □□□□□ □□□□ □

□□□□ □□□ □□□□□□□□ □□□□□ □□□□□ □□ □□□□□□ □□ □□□□□ □□□□.



□□□□□□ □ □□□□□ □□□□□□ □□□□□□ □□□□□□ □□ □□□□□ □□.

[illegible]

00000000 00000000 000000 00 00000000 00000 0000 0000000000 000000 000000000000 000000 00000 0000.

□□□□□□ □□□□ □□□□ □□□□□□ □□□□□□ □□□□ □□ □□□□.

□□□□□



□□ □□□□□□ □□□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□□ □□□□ □□ □□□□□□ □□□□□□ □□□□□□.

□□□□□ □□□□□□ □□□□□□ □□□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□ □□□□□.

□□□□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□□□□□ □□□□□□□□.

□□□□ □□□□□ □□ □□□□□ □□□□ □□ □□ □□□□□ □□□□□□□ □□□□□□ □□□□□.

□□□ □□□□□□ □□□□□□ ISO / CE / SGS □□□□□□□□□□□ □□ □□□□ □□□□□ □□ □□□□□□□ □□□□□□□.

□□□ □□□□□□□ □□ □□□□□□□ □□□□□□□ □□□□ □□ □□□□□ □□□□□□□ □□□□□□ □□□□□ □□□□□□ □□□□□□.

□□□□□□" □□□□□□ □□□□□□□ □□□□□ □□ □□□□ □□□□ □□□□□ □□□ □□□□□□□□.

□□□□□□ □□□□□□□□ □□□□□□□□

40 □□□□□ □□□□□ □□□□□□ □□□□□ □ 1 :□□□□□□□ □□□□□□'hq. 2 □ 4 □□□□□□□ □□□□□□□□ 1 □□

□□□□□□□ □□□ □□□□ 20-3 :□□□□□□□□ □□□□□□□□



□□□□□□□□





□□□□□□□□

1 □ □□□□□ □□□□ □□ □□

50□ □□□□□ □□□□□ tt □ 50□ □□□□□ □□□□□□□ □□□□ □□ □□□□□□ tt. 100 □ LC □□□□□) □□□□□ □□
 □ (□□□□□ 100□000 □□ □□□□ □□□□□□□□□□)

2 □ □□□□□ □□ □□□□

40 □□□□□ □□□□□hq 40 □□□□□ □□□□□ .□□□□□□□ □□□□□HQ □□□□ □□□ 180-160 □□□□□ □□□□□ □□□□□
 □□□□□□.

