



□□□□□ □□□

## Heya-Q02



NAME	DESCRIPTION	UNIT	THEORY QTY	LOSS RATE	UNIT	ACTUAL QTY
<b>LGS Structure</b>						
steel structure		m²	40	1.00	T	1.32
fitings		set	40	1.00	m²	40.00
<b>Wall System</b>						
External wall OSB board	1220*2440*9mm	m²	88.4	1.15	pc	35
External wall unidirectional breath paper		m²	92.96	1.20	m²	112
External wall metal curved board	381*3800*16mm +381*4500*16mm	m²	88.4	1.15	m²	102
Internal wall OSB board	1220*2440*9mm	m²	81.5	1.12	pc	32
Internal wall gypsum board	1200*2400*9mm	m²	81.5	1.12	pc	32
Wet district fiber cement board	1220*2440*10mm	m²	37.2	1.12	pc	14
<b>Insulation System</b>						
Glasswool insulation	T75mm- 12m³/roll 16Kg/m3	m³	103.55	1.10	roll	9
Glasswool insulation(under roof)	T75mm- 12m³/roll 16Kg/m3	m³	35	1.10	roll	3
External wall XPS board	1200*600*40mm	m²	88.4	1.05	pc	129
<b>Roof System</b>						
Roof OSB board OSB	1220*2440*12mm	m²	66.5	1.15	pc	27
self-paste waterproof coil	T1.5mm- -15°C- 20m³/roll	m²	66.5	1.20	roll	4
Roof tile	asphalt tile	m²	66.5	1.20	pack	29
Roof ridge tile	asphalt tile	m	18.83	1.10	pack	3
Roof eaves pvc molding PVC	6m/pc	m	33.35	1.10	pc	6
PVC closing strip PVC	4m/pc	m	33.35	1.10	pc	9
Metal curved board under roof eaves	381*3800*16mm	m²	13	1.20	pc	11
<b>Door &amp; Window</b>						
PVC window		m²	4.56	1.00	m²	4.56
PVC door		m²	5.4	1.00	m²	5.40
Accessories for door sill/windowill	1220*2440*10mm	m	31.9	1.10	pc	2
<b>Water&amp;Electric System</b>						
Water Pipes		m²	40	1.00	m²	40.00
Electric system	include weak current,exclude socket,switch,light,etc	m²	40	1.00	m²	40.00
Decoration Accessories System		m²	40	1.00	m²	40.00
Hardware Accessories System		m²	40	1.00	m²	40.00
<b>TOTAL EXW cost</b>						\$9,965.51
<b>TOTAL FOB Qingdao</b>						\$9,965.51
<b>TOTAL CIF XX</b>						\$12,015.34

Shandong Heya

Shandong Heya .

10



□□□□□ □□□□ □□□□ □□□□□ □□□□□ □□□□ □□□□ □□□□.

□□□□□



□□ □□□□□ □□□□□ □□□□ □□ □□□□□ □□□□□ □□□□□ □□□□ □□□□ □□□□□.

□□□□ □□□□□ □□□□□ □□□□□ □□□□ □□□□□ □□□□□ □□□□ □□□□ □□□□□.

□□□□□□ □□□□□□ □□□□□□ □□□□□ □□□□ □□□□□□ □□□□□□□□.

□□□□ □□□□ □□ □□□□□ □□□□ □□ □□ □□□□□ □□□□□□ □□□□ □□□□□.

□□□ □□□□□ □□□□□ ISO / CE / SGS □□□□□□□□□□ □□ □□□□ □□ □□□□□ □ □□□□□□□□ □□□□□□□.

□□□ □□□□□□□ □□ □□□□□□□ □□□□□□ □□ □□□□□ □ □□□□□□ □□□□□□ □□□□□ □□□□□ □.

□□□□□" □□□□□ □□□□□□□ □□□□□ □□□□ □□ □□□□ □□□□ □□□□ □□□□□□□□.



□□□□□ □□□□□□□ □□□□□□□

40 □□□□□ □□□□□ □□□□□□ □□□□□ □ 1 :□□□□□□□ □□□□□□'hq. 2 □ 4 □□□□□□□ □□□□□□□ 1 □□

□□□□□□ □□□ □□□□ 20-3 :□□□□□□□ □□□□□□□



□□□□□□□







□□□□□□□□

1 □ □□□□□ □□□□ □□ □□

50□ □□□□□ □□□□□ tt □ 50□ □□□□□ □□□□□□□ □□□□ □□ □□□□□□ tt. 100 □ LC □□□□□) □□□□□ □□ □ (□□□□□ 100□000 □□ □□□□ □□□□□□□□)

2 □ □□□□□ □□ □□□□

40 □□□□□ □□□□□□hq 40 □□□□□ □□□□□ .□□□□□□□ □□□□□HQ □□□□ □□□ 180-160 □□□□□ □□□□□ □□□□□ □□□□□□.

