






ProdukPerincian

KUALITI NORMAL

TIADA PERKARA

PENERANGAN

1	kerangka bawah	beamthickness 2.5mm purlin sekunder C120 * 60 * 1.7mm Penebat kaca 50mm Jubin penutup 0.23mm beamthickness 2.5mm
2	bingkai atas	Bahagian pengacuan Z purlin sekunder 80 * 40 * 1.3mm Penebat kaca 50mm + filem PE Kepingan keluli 0.5mm
3	kolum	2526 * 210 * 150 * 2.5mm
4	papan lantai	Papan simen serat 18mm
5	penutup lantai	Lantai vinyle PVC 1.6mm
6	pintu keluli	T75 0.6mm, saiz 845 * 2035
7	Tingkap PVC	tingkap gelangsar pvc 1130 * 1100 cermin mata berganda, skrin terbang
8	panel dinding	Panel sandwic glasswool V1150,75mm0,4 / 0,450KG / m ³

		paip $\varnothing$ 50mmPVC
		Siling 831 * 0.4mm
		75 saluran
9	Aksesori	Skirting PVC
		Pelapisan lajur 0.4mm
		rivet, skru, gam, dan lain-lain
10	Elektrik	Palam industri, kotak pengedaran, 4 soket, 1 switch, 2 lampu
11	Seumur hidup	10 tahun