

Cepat ditubuhkan [bekas lipat](#) rumah untuk kem penginapan

## produk Foto





## Produk Bekas Lipat Butiran:

NAMA PROJEK

Rumah kontena lipat  
Saiz: L5800mm\*W2400mm\*H2500mm

TIDAK.	NAMA	ITEM	UNIT	QTY	SPESIFIKASI
1	SISTEM KERANGKA	Rasuk atas	pc	4.00	Q235 2.5mm 1.8mm , kimpalan, paiting;
		Rasuk bawah	pc	4.00	Q235 2.5mm 1.9mm , kimpalan, paiting □H=400px
		Lajur keluli	pc	4.00	Q235 2.5mm
		Cat	kg	14.00	jenama "Lehua", 18-20 ketebalan filem, abu putih standard cat berasaskan air

2	SISTEM BUMBUNG	Panel bumbung	m	18.00	Keluli glavanised 0.7mm □ warna □ kelabu-putih □ Oklusi mekanikal
		Panel penebat	pc	1.00	Papan komposit batu silika 4mm50mm4mm □ ketebalan standard □ 80KG/m3
3	SISTEM LANTAI	Lantai PVC	ditetapkan	1.00	ketebalan 1.0mm
		Papan simen gentian	pc	5.00	Ketebalan 18mm, 50 skru penggerudian sendiri
		Sealant	tong	4.00	pengedap busa poliuretana
4	SISTEM DINDING	Panel dinding	m	50.00	Papan komposit batu silika kalis api kelas A2, ketebalan 50mm, kepingan keluli 0.4/0.4, 80kg/m3
		pintu	pc	1.00	saiz pintu 1980*890 □ ketebalan Q235, 0.4mm
		Tingkap	pc	2.00	Tingkap tingkap □ saiz 1000*950*50 □ jenama "Huaqiang", kaca nipis 5mm
		Kotak elektrik	kotak	1.00	3 gelung, termasuk penyambung palam
5	SISTEM ELEKTRIK	Palam industri	pc	1.00	jenama "CHINT" □ 32A
		Lampu yang dipimpin	pc	2.00	siling putih eropah
		Soket A/C	pc	1.00	32A, jenama "CHINT"
		Soket	pc	2.00	16A, jenama "CHINT"
		Tukar	pc	1.00	suis tunggal 5 lubang
6	HIASAN	Pelapisan lajur			
		Pelapisan atas	ditetapkan	1	
		Pelapisan bawah			