



# ProduktFoto





## ProdukPerincian

### KUALITI NORMAL

#### TIADA PERKARA

1 kerangka bawah

#### PENERANGAN

beamthickness 2.5mm

purlin sekunder C120 \* 60 \* 1.7mm

Penebat kaca 50mm

Jubin penutup 0.23mm

beamthickness 2.5mm

Bahagian pengacuan Z

2 bingkai atas

purlin sekunder 80 \* 40 \* 1.3mm

Penebat kaca 50mm + filem PE

Kepingan keluli 0.5mm

3 ruangan

2526 \* 210 \* 150 \* 2.5mm

4 papan lantai

Papan simen serat 18mm

5 penutup lantai

Lantai vinyle PVC 1.6mm

6 pintu keluli

T75 0.6mm, saiz 845 \* 2035

7 Tingkap PVC

tingkap gelongsor pvc 1130 \* 1100 gelas berganda, skrin terbang

<b>8</b>	panel dinding	Panel sandwic glasswool V1150,75mm0,4 / 0,450KG / m <sup>3</sup> paip φ50mmPVC Siling 831 * 0.4mm
<b>9</b>	Aksesori	75 saluran Skirting PVC Pelapisan lajur 0.4mm rivet, skru, gam, dan lain-lain
<b>10</b>	Elektrik	Palam industri, kotak pengedaran, 4 soket, 1 suis, 2 lampu
<b>11</b>	Seumur hidup	10 tahun