

ProduktFoto





ProdukPerincian

KUALITI NORMAL

TIADA PERKARA

1 kerangka bawah

PENERANGAN

beamthickness 2.5mm
purlin sekunder C120 * 60 * 1.7mm

Penebat kaca 50mm

Jubin penutup 0.23mm

beamthickness 2.5mm

Bahagian pengacuan Z

2 bingkai atas

purlin sekunder 80 * 40 * 1.3mm

Penebat kaca 50mm + filem PE

Kepingan keluli 0.5mm

3 ruangan

2526 * 210 * 150 * 2.5mm

4 papan lantai

Papan simen serat 18mm

5	penutup lantai	Lantai vinyle PVC 1.6mm
6	pintu keluli	T75 0.6mm, saiz 845 * 2035
7	Tingkap PVC	tingkap gelongsor pvc 1130 * 1100 cermin mata berganda, skrin terbang
8	panel dinding	Panel sandwic glasswool V1150,75mm0,4 / 0,450KG / m ³ paip φ50mmPVC Siling 831 * 0.4mm
9	Aksesori	75 saluran Skirting PVC Pelapisan tiang 0.4mm rivet, skru, gam, dan lain-lain
10	Elektrik	Palam industri, kotak pengedaran, 4 soket, 1 suis, 2 lampu
11	Seumur hidup	10 tahun