



Ground floor



Second floor



Third floor

	20'gp	Haba: 6055mm. Lapad: 2438m. Taas: 2591mm. Timbang: 2145kgs.
<b>Pagtutukoy</b>	40'gp	Haba: 12192mm. Lapad: 2438mm Taas: 2591mm Timbang: 3650kgs.
	40'HQ.	Haba: 12192mm lapad2438mm Taas: 2896mm. Timbang: 3800kgs.
	Wall.	Material: Steel.
	Bubong	Material: Steel.
	Pinto	Aluminum haluang metal, kahoy, bakal o Kinakailangan ng mga customer
	Window.	Aluminyo haluang metal, kahoy o mga customer 'na kinakailangan
<b>Standard accessory.</b>	Pandekorasyon na sahig	PVC o laminated flooring sa living area at aluminum panel sa banyo at kusina o pangangailangan ng mga customer
	Supply ng tubig at sistema ng paagusan	Ibinigay na plano, disenyo at konstruksiyon o pangangailangan ng mga customer
	Electric System.	Ibinigay na plano, disenyo at konstruksiyon o pangangailangan ng mga customer
	Lumalaban temperatura	-50 ° C hanggang 70 ° C.
<b>Teknikal na parameter.</b>	Patunay ng sunog	B2 Grade.
	Paglaban ng lindol	8grade.
	Wind lumalaban	120km / H.