



ProduktoLarawan





ProduktoDetalye

KATOTOHANAN NG NORMAL

HINDI	ITEM	DESCRIPTION
1	ilalim na frame	beamthickness 2.5mm pangalawang purlin C120 * 60 * 1.7mm 50mm glasswool pagkakabukod 0.23mmcovering tile beamthickness 2.5mm Bahagi ng paghubog ng Z
2	tuktok na frame	pangalawang purlin 80 * 40 * 1.3mm 50mm glasswool pagkakabukod + PE film 0.5mm bakal sheet
3	haligi	2526 * 210 * 150 * 2.5mm
4	board ng sahig	18mm fiber semento board
5	pantakip sa sahig	1.6mm PVC vinyle sahig
6	pintuan ng bakal	T75 0.6mm, laki 845 * 2035
7	PVC window	pvc sliding window 1130 * 1100 dobleng baso, lumilipad na screen
8	panel ng dingding	V1150,75mm glasswool sandwich panel0.4 / 0.450KG / m ³

9	Mga Kagamitan	ø50mmPVC na tubo 831 * 0.4mm kisame 75 channel Pag-skir sa PVC 0.4mmcolumn cladding rivet, tornilyo, pandikit, atbp.
10	Elektriko	Ang plug ng industriya, kahon ng pamamahagi, 4 na socket, 1 switch, 2 light
11	Habang buhay	10 taon