





BREAK DOWN QUOTATION SHEET

No.	NAME	DESCRIPTION	UNIT	THEORY	QTY
LGS Structure					
1	steel structure		□	243	
2	fittings		set	243	
Wall System					
1	External wall OSB board	1220*2440*9mm	□	252.1	
2	External wall unidirectional breath paper		□	308.7	
3	External wall wooden support	30*40*3000mm	m	756.3	
4	External wall metal carved board	381*3800*16mm +381*4500*16mm	□	252.1	
5	Internal wall OSB board	1220*2440*9mm	□	402.6	
6	Internal wall gypsum board	1200*2400*9mm	□	402.6	
7	Wet district fiber cement board	1220*2440*10mm	□	116.85	
Insulation System					
1	Glasswool Insulation	T75mm□12□/roll 16Kg/m3	□	385.775	
2	Glasswool insulation(under roof)	T75mm□12□/roll 16Kg/m3	□	165	
3	External wall XPS board	1200*600*40mm	□	252.1	
Floor System					
1	Floor surface OSB	1220*2440*18mm	□	110	
2	Floor self-paste waterproof coil	T1.5mm□-15°C□20□/roll	□	110	
3	Floor concrete cushion	C25 concrete	□	110	
Roof System					
1	Roof OSB board	1220*2440*12mm	□	165	
2	self-paste waterproof coil	T1.5mm□-15°C□20□/roll	□	165	
3	Roof tile	asphalt tile	□	165	
4	Roof ridge tile	asphalt tile	m	27.9	
5	Roof eaves pvc molding	6m/pc	m	63.5	
6	PVC closing strip	4m/pc	m	63.5	

7	Metal carved board under roof eaves	381*3800*16mm	□	38.1
---	-------------------------------------	---------------	---	------

Door & Window

1	Alumunium window		□	56.6
---	------------------	--	---	------

2	Interior door		□	9.6
---	---------------	--	---	-----

3	Accessories for door sill/windowsill	1220*2440*10mm	m	172
---	--------------------------------------	----------------	---	-----

Water&Electric System

1	Water Pipes		□	243
---	-------------	--	---	-----

2	Electric system	Include weak current,exclude socket/switch/light,etc	□	243
---	-----------------	--	---	-----

	Decoration Accessories System		□	243
--	--------------------------------------	--	---	-----

	Hardware Accessories System		□	243
--	------------------------------------	--	---	-----