


Cheap Factory Price House Building Materials Precast Cooler Outdoor Wall Panels [Sandwich Panel](#)


Products Description

Sandwich panel is any structure made of three layers: a low-density core (EPS, mineral wool, PU), and a thin skin-layer bonded to each side. Sandwich panels are used in applications where a combination of high structural rigidity and low weight is required.




Type	EPS Sandwich Panel
Width of EPS Wall Panel	950mm/1150mm
Thicness of EPS Wall Panel	50mm,75mm,100mm,150mm,200mm
Width of EPS Roof Panel	950mm
Thicness of EPS Roof Panel	50mm,75mm,100mm,150mm,200mm
Density	6-18kg/m3
Description	good insulation effect and beautiful
Usage	warehouse,cold room,house,home,villa,workshop

Rock wool wall sandwich panel



Rock wool roof sandwich panel




Type	Rock Wool Sandwich Panel
Effective coverage width	950mm/1150mm
Sandwich thickness	50mm/75mm/100mm/150mm/200mm
Metal sheet thickness	0.25~0.8mm
Surface	Prepainted
Sheet color	Customized
Service	25 years

Data of Sandwich Panel:

EPS Roof sandwich panel


聚苯乙烯泡沫顶板



Effective coverage width 有效宽度	950mm
Panel effect 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet / EPS thickness 钢板/EPS厚度	Sheet : 0.2mm To 0.8mm 50mm/75mm/100mm/150mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Service life 使用寿命	25 years 25年

EPS Wall sandwich panel


聚苯乙烯泡沫墙板



Effective coverage width 有效宽度	950mm/1150mm
Panel effect 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet / EPS thickness 钢板/EPS厚度	Sheet : 0.2mm To 0.8mm 50mm/75mm/100mm/150mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Service life 使用寿命	25 years 25年

Rock wool wall sandwich panel

岩棉夹芯墙板



Effective coverage width 有效宽度	950mm/1150mm
Panel effect 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet / EPS thickness 钢板/EPS厚度	Sheet : 0.2mm To 0.8mm 50mm/75mm/100mm/150mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Service life 使用寿命	25 years 25年

Rock wool roof sandwich panel

岩棉夹芯顶板



Effective coverage width 有效宽度	950mm
Panel effect 面板效果	Upper plate high wave crest 上波峰 Under the flat plate 下平板
Sheet / EPS thickness 钢板/EPS厚度	Sheet : 0.2mm To 0.8mm 50mm/75mm/100mm/150mm
Sheet color 彩钢板颜色	Customer customize 客户自定义
Service life 使用寿命	25 years 25年