


□□□□□□□□□□□□□□□□

Heya-2B07-B



BREAKDOWN QUOTATION SHEET

NO.	HY-2B07-B	DATE	
Item	Description	Qty	Unit
Steel frame	C-type steel purlin and beam, square tube, steel channels	69	m ²
Exterior Wall	75mm EPS Color Steel Sandwich Panel, pre-cut, with film protection	132.6	m
Interior Wall	75mm EPS Color Steel Sandwich Panel, pre-cut, with film protection	58.8	m
Roof	75mm EPS Color Steel Sandwich Panel, pre-cut, with film protection	89.1	m
Ceiling	PVC ceiling	69	m ²
Floor	Ceramic tile 800x800mm	69	m ²
Roof decoration	Asphalt tile	81.5	m ²
External Wall decoration	Metal carved plate	119	m ²
Door	Out door (Steel door) 900*2000mm	1	pcs
	Bathroom door 800mm x 2000mm (water proof)	4	pcs
Windows	PVC sliding window 950(W)*1000mm(H)	6	pcs
	PVC sliding window 950(W)*600mm(H)	1	pcs
Drain system	Drain pipes, gutter	28	m
Electric system		69	m ²
Accessories	Kinds of necessary screws, sealant, ridge tile, packet eaves, flashing, channel iron	69	m ²
Total Amount (Necessary Basic Fitting)		\$8,790.00	
Inland Cost	40HC container loading	1	pcs
Workers loading Cost	40ft/20ft container	1	pcs
Total Amount		\$9,740.00	

鋼結構 鋼樓板

鋼結構鋼樓板具有自重輕、強度高、施工快捷、使用壽命長等優點，廣泛應用于工業廠房、商業建築、住宅等領域。其結構形式多樣，可根據實際需求進行設計和施工。鋼樓板的厚度一般在 10 厘米左右，具有優良的耐火性能和防腐蝕性能。鋼樓板的安裝和維護相對簡單，且具有良好的抗震性能。鋼樓板的應用不僅提高了建築的質量，還縮短了施工周期，降低了工程成本。鋼樓板的設計和施工需要專業的技術和經驗，確保結構的安全和穩定。鋼樓板的應用是現代建築工業化的重要體現，為建築行業的發展提供了新的思路和方法。鋼樓板的設計和施工需要考慮到各種因素，如荷載、溫度、濕度等，以確保其長期使用的可靠性和耐用性。鋼樓板的應用不僅提高了建築的質量，還縮短了施工周期，降低了工程成本。鋼樓板的設計和施工需要專業的技術和經驗，確保結構的安全和穩定。鋼樓板的應用是現代建築工業化的重要體現，為建築行業的發展提供了新的思路和方法。

鋼樓板

鋼樓板是鋼結構建築中的重要組成部分，具有優良的承載能力和抗震性能。其設計和施工需要考慮到各種因素，如荷載、溫度、濕度等，以確保其長期使用的可靠性和耐用性。鋼樓板的應用不僅提高了建築的質量，還縮短了施工周期，降低了工程成本。鋼樓板的設計和施工需要專業的技術和經驗，確保結構的安全和穩定。鋼樓板的應用是現代建築工業化的重要體現，為建築行業的發展提供了新的思路和方法。

鋼樓板的設計和施工需要專業的技術和經驗，確保結構的安全和穩定。鋼樓板的應用是現代建築工業化的重要體現，為建築行業的發展提供了新的思路和方法。



鋼樓板的設計和施工需要專業的技術和經驗，確保結構的安全和穩定。鋼樓板的應用是現代建築工業化的重要體現，為建築行業的發展提供了新的思路和方法。Weifang 鋼樓板

鋼樓板的設計和施工需要專業的技術和經驗，確保結構的安全和穩定。鋼樓板的應用是現代建築工業化的重要體現，為建築行業的發展提供了新的思路和方法。

鋼樓板的設計和施工需要專業的技術和經驗，確保結構的安全和穩定。鋼樓板的應用是現代建築工業化的重要體現，為建築行業的發展提供了新的思路和方法。

XX O.K

XX

XXXXXXXXXXXXXXXXXXXXXXXX: 1, XXXXXXXXXXXXXXX 40'HQ XXXXXXXXXXXXXXX 2, 4 in 1 XXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXXXXXX: 3-20 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX



XXXXXXXXXXXXXXXX



3,

10

4,

5

100